

Tiocc of impore And Tools		Professional Automotive Cooling Products
ILLUSTRATION	ATCO PART NO.	COMMENTS
	3300	Recommended only for Crimping Hose with Two-Braid Dimensions
HANDI-CRIMP		
	3500	Recommended only for Crimping Hose with Two-Braid Dimensions Obsolete: No longer Available.
HY-PRO CRIMPER-HYDRAULIC		
COMBO-PUSH	3535	Recommended for Assembling Barb Fittings to Hose Obsolete: No longer Available.
KWIK CUT HOSE CUTTER	3541 3541-B	Hose Cutter-Hand Held Blade Only



Professional Automotive Cooling Products					
ILLUSTRATION	ATCO PART NO.	COMMENTS			
	3600-P 3600-P-50	Designed and Engineered specifically for use with ATCO Beadlock Fittings 115/230 Volt, 60 Hz Model Designed and Engineered specifically for use with ATCO Beadlock Fittings 220 Volt, 50 Hz Model			
NO ILLUSTRATION AVAILABLE	3700 3700-1 3700-A 3700-C 3700-E 3700-H 3700-P 3700-F	REPLACED BY 3710 REPLACED BY 3710-1 REPLACED BY 3710-A REPLACED BY 3710-C REPLACED BY 3710-E REPLACED BY 3710-H REPLACED BY 3710-P REPLACED BY 3710-F			
	3710	Complete kit for air impact wrench operation 100 PSIG Max.			
MODEL 3710 U.S. AT SESTICE VISION UTA ATCO	3710-1	Model 3710 crimper only, No dies or carrying case Obsolete: No longer Available.			



Professional Automotiv				
ILLUSTRATION	ATCO PART NO.	COMMENTS		
MOTEL STIP AT CO	3710-A	Model 3710 crimper equipped with at 10,000 PSI hydraulic cylinder and female quick disconnect - No dies		
MODEL SAR PLANTS	3710-C	Model 3710-A crimper with dies for 2 braid dimension hose		
	3710-E	Model 3710-C crimper with 75024 hydraulic pump		




Professional Automotive Cooling Products				
ILLUSTRATION	ATCO PART NO.	COMMENTS		
ATESO	3710-Н	Model 3710-C crimper with 75046 air/hydraulic pump		
	3710-P	Model 3710-C crimper with 75027 hand pump		
OPA POWER TRAM	3710-F	Model 3710-C crimper with 75036 foot pump		
	75022	10,000 PSIG Cylinder with Female quick disconnect to Retrofit model 3700 to hydraulic operation		
	75024	1 HP, 115/230 volt, 50/60 Hz, 3450 RPM 10,000 PSIG hydraulic pump with 6 ft. hydraulic hose and male quick disconnect		



	Professional Automotive Cooling Products	
ILLUSTRATION	ATCO PART NO.	COMMENTS
an annual life	75027	Single stage, 10,000 PSIG hand operated hydraulic pump with 6 ft. hydraulic hose and male quick disconnect
	75033	3/8 x 6 ft 10,000 PSIG hose with male quick disconnect
SPX POWER TEAM	75036	Single stage, 10,000 PSIG foot operated hydraulic pump with 12 ft. hydraulic hose and male quick disconnect
	75041	3/2 x 12 ft 10,000 PSIG hose with male quick disconnect
ATCO	75046	Air operated 10,000 PSIG hydraulic foot pump with 12 ft. hydraulic hose and male quick disconnect





Item	Part #	Description	Qty.
1	75013	Actuator Screw	1
2	75177	Actuator Bar	1
3	75012	Rubber Bumper	2
4	75149	Thrust Bushing	1
5	75175	Movable Die Holder	1
6	75010	3/16 x 1 Roll Pin	2
7	75086-Y	Locator Flag	1
	75088	Curved Disc Spring	1
9	75087-Y	Locator Bushing	1
10	75113	1/4-20 x 1 Button Head Screw	1
11	75176	Spacer Bushing	1
12		See Crimp Die Parts List	
13		See Crimp Die Parts List	
14	75174	Removable Die Holder	1
15	75076	Spring - Compression	1
16	75077	7/16 Dia. Ball	1
17	75009	3/16 x 1/2 Roll Pin	1
18	75074	Latch Plate	1
19	75008	Lock Screw	1
20	75020	Strain Rod	2

A = Lubricate using item A above

Crimp Die Pa	ırts List
12	NT/A

Item Number -		12	N/A	13	N/A	N/A
Hose Size	Die Marking	Crimp Die Number	Color	Die Carrier	Crimp Dia.	Fitting Type
#6 Reduced	6R 556	3711	Red	75140	.556"	SR & RB
#6 2-Braid	6-8R 655	3712	Black	71688	.655"	BL & SB
#8 Reduced	6-8R 655	3712	Black	71688	.655"	SR & RB
#8 2-Braid	8 830	3713	Blue	71689	.830"	BL & SB
#10 Reduced	10R 742	3714	Almond	75136	.742"	SR & RB
#10 2-Braid	10-12R 897	3715	Green	71690	.897"	BL & SB
#12 Reduced	10-12R 897	3715	Green	71690	.897"	SR & RB
#12 2-Braid	12 1015	3716	Clear	71691	1.015"	BL & SB

^{*}Contact factory for crimp dies to crimp 3/4" (19mm) I.D. hose.